



**FIBA**  
APPROVED  
EQUIPMENT

**S**  
Schelde Sports  
powered by Design

**EX3**  
**FIBA**  
WORLD TOUR

**S**  
**Schelde Sports**  
Superior by Design

USA		12	7	BRA	
5:18		0   FOULS   2		0   TIME OUT   0	
TIESSOT					
WHITE D.		1		MALIN S.	
HARRIS J.		1		LINSLEY S.	
SMART M.		1		HUGHES M.	
HARRIS J.		1		VANDERKAM M.	
BROWN J.		1		CARLOS A.	
TAYLOR M.		1		VANDERKAM M.	
FLORES M.		1		LINSLEY S.	
TAYLOR M.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1		CARLOS A.	
LOPEZ J.		1		LINSLEY S.	
LOPEZ J.		1			





## About us



Founded in 1892 as a supplier of church organs.



1928: For the first time supplier of the Olympic Games. Many Olympic Games, European and World Championships followed.



**FIBA**  
EQUIPMENT  
& VENUE

  
**Schelde Sports**  
Superior by Design

Since 1993 member of the FIBA Equipment & Venue Centre.


1892

1918

1928

1945

1993



Since 1918 started making pews, school desks and gymnastics benches.



Since 1945 the core business is producing sports equipment.





2013-2020: Partnership FIBA official provider  
3x3 units for 3x3 FIBA competitions and  
FIBA 3x3 World Tour.

# 7000th

2017-11-13: 7000th Schelde backstop produced.



2020: Schelde Sports official global  
supplier FIBA until 2024.

2013

2014

2017

2019

2020



2014: Joining ABEO



2019: FIBA Basketball World Cup in China with first  
use of the brand new Super SAM 325 PRO.







# Table of content

## Basketball

Portable basketball backstops	
5x5	6-19
3x3	20-25
Basketball wall- & ceiling-mounted systems	26-31
Basketball accessories	32-35
Basketball outdoor	36-37

## Volleyball

Volleyball sets	38-40
Volleyball accessories	41-42

## Tennis

43

## Handball

Handball IHF	44
Handball Club and School competition	45

## Netball/Korfball

46-47

## Badminton

48-49

## Football

Football goals	50
Football accessories	51

## Multi sports solutions

52

## References

53







# PORTABLE BASKETBALL BACKSTOPS



# Portable folding basketball backstops

Scheide Sports



Super SAM 325 Pro  
1612200



Super SAM 245  
1612010



Super SAM MultiAdjust  
1612020



SAM 225 Club  
1612030



SAM 165 Club  
1612040



Little SAM Pro  
1612050



SAM School  
1626130



SAM 3x3  
1612070



SAM Street 3x3  
1627830



SAM School 3x3  
1626140




## What is SAM?

### *Easy to set-up and store by one person*

SAM derives its name from its Spring Assisted Mechanism and was invented by Schelde to eliminate the problems and complexities associated with hydraulic and electro-mechanical lift systems. In its folded, mobile position, SAM stores energy in its counterbalanced spring mechanism. With just a simple push, one person can easily raise the unit into game position.



Dynamic Sub Frame in game position (down). Steel bar with resilient protective pad evenly distributes weight, helps protect floors and absorbs the impact of slam dunks.



Dynamic Sub Frame in mobile position (up). Increased clearance space between DSF bar and floor allows for easy transport. Double swivel wheels help protect floors. Two rollers protect the DSF when driving up a ramp.


Folding the unit is just as simple. Working in tandem with the Spring Assisted Mechanism, Schelde's patented Dynamic Sub Frame (DSF) is uniquely designed to simultaneously transfer weight from the wheels to the subframe using energy from the springs. The subframe is a steel bar with a resilient protective pad that evenly distributes weight along the floor. This system automatically stabilizes the unit and places the ring at precisely 305 cm. The even distribution of weight guarantees maximum protection of vulnerable sportsfloors.

**Superior engineering is the heart of all Schelde Sports equipment and the soul of our company culture.**



# Meet the new Super SAM!

**Schelde Sports**








# Super SAM 325 PRO

For world-class venues and highest level of competition



NEW: Pro 180°  
Equal Force Dunkring

Setting the world standard for excellence.  
Designed and manufactured by the inventors of the original SAM (Spring Assisted Mechanism) and DSF (Dynamic Sub Frame).


## Super SAM 325 PRO

1612200


Complete portable backstop unit, 325 cm projection, FIBA approved Level 1 + 2.

- with unique SAM system (Spring Assisted Mechanism);
- withstands heavy loads;
- easy to move;
- unique appearance due to the diamond-shaped safety padding;
- patented 'Dunk Proof' glass backboard;
- FIBA Level 1 & 2 approved
- Pro 180° Equal Force Dunk ring:  
for equal force flex in different directions
- sturdy anti-whip basketball net;
- floor anchoring set and floor hook are included;
- possibility to integrate media cables in top beam.

SENIOR



STORAGE











# Super SAM MultiAdjust

Multi-functional: 1 solution  
for all purposes




Enables main court use at 325 cm projection (FIBA level 1 + 2) and cross-court use at 245 cm, taking up 80 cm less space.

## Super SAM MultiAdjust 1612020


Complete portable backstop unit, adjustable projection 325 cm - 245 cm, FIBA approved Level 1 + 2.

- Spring Assisted Mechanism;
- with DSF one-step set-up system;
- tempered glass backboard;
- Pro 180° Equal Force Dunk ring;
- anti-whip net;
- safety padding to front, sides, backboard and neck in standard Schelde blue colour.
- floor connector set and floor hook are inclusive.


SENIOR



MINI



STORAGE



# Super SAM 245

All the features of the FIBA level 1 + 2 unit, but with reduced clearance space



Setting the world standard for excellence. Designed and manufactured by the inventors of the original SAM (Spring Assisted Mechanism) and DSF (Dynamic Sub Frame).




## Super SAM 245

**1612010**

Complete portable backstop unit, 245 cm projection, FIBA approved level 2.

- Spring Assisted Mechanism;
- with DSF one-step set-up system;
- tempered glass backboard;
- Pro 180° Equal Force Dunk ring;
- anti-whip net;
- safety padding to front, sides, backboard and neck in standard Schelde blue colour.
- floor connector set and floor hook are inclusive.


**Schelde Sports**







## Meet the Club!



### Backboard bracing

Enables perfect backboard adjustment.

### Full-perimeter steel frame

Protect the backboard from stress.

### Heavy-duty vertical support

Structure with streamlined profile provides fans with a clear view of the action.

### Lifetime maintenance-free pivot bearings

### Spring-Activated positive locking pin

Automatically snaps into place when the goal is fully raised.

### Double swivel wheels

Two swivel wheels in front and four rigid wheels in rear enhance mobility and minimize stress on floor surfaces.

### Forklift tubes

Allows more flexibility when moving and storing goals in busy arenas.

### Patented “Dunk Proof” glass backboard

The ring attaches to the metal plate in the backboard, which is connected to the main beam. No bolts pass through the glass - so dunking never places stress on the glass.

### SAFETY Impact area padding

Impact padding covers the front and sides for greater safety. Padding colour is Schelde blue.

*The main court system for clubs, high schools, community halls and national/regional competition of all levels.*

# SAM 225 Club and SAM 165 Club

Schelde Sports

The SAM Club range now benefits from many of the features found in our world-class Super SAM units. Built to take the punishment of slam dunks, the SAM Club is an economical main court system for clubs, high schools, community halls and national/regional competition of all levels.


For top competition arenas and gyms, the SAM Club is the perfect side court unit. It is available in 225 cm projection and 165 cm projection.




Automatic snap lock on telescopic rod. Locking pin secured with deadlock.



Frame paddings (front and sides) and backboard padding in Schelde blue are standard.



Automatic pedestal feet lock unit in game position.



Pedestal feet retract automatically as unit is lowered to storage position.



Unidirectional dunk ring has an adjustable positive locking system.





# SAM 225 Club

Economical main court system for clubs, high schools, community halls, school gyms and national/regional competition of all levels; 225 cm projection.






Designed and manufactured by the inventors of the original SAM (Spring Assisted Mechanism) and now equipped with the DSF-based new APF (Automatic Pedestal Feet) feature for instant positioning.

## SAM 225 Club

**1612030**

Complete portable backstop unit, 225 cm projection, FIBA approved Level 2.

- with unique SAM system (Spring Assisted Mechanism);
- with ADF Automatic Pedestal Feet one-step set-up system;
- tempered glass backboard;
- unidirectional breakaway ring;
- anti-whip net;
- safety padding to front, sides, beam and backboard in standard Schelde colour blue;
- floor connector set and floor hook are inclusive.



# SAM 165 Club

Economical main court system for clubs, community halls, school gyms and regional competition; 165 cm projection.



Designed and manufactured by the inventors of the original SAM (Spring Assisted Mechanism) and now equipped with the DSF-based new APF (Automatic Pedestal Feet) feature for instant positioning.

## SAM 165 Club


**1612040**

Complete portable backstop unit, 165 cm projection.


- with unique SAM system (Spring Assisted Mechanism);
- with ADF Automatic Pedestal Feet one-step set-up system;
- tempered glass backboard;
- unidirectional breakaway ring;
- anti-whip net;
- safety padding to front, sides and backboard in standard Schelde colour blue;
- floor connector set and floor hook are inclusive.

**Schelde Sports**


SENIOR



MINI



STORAGE







## Little SAM Pro

Little SAM is an economical side-court unit or recreational competition goal. Little SAM Pro has a full-size see-thru acrylic backboard.






### Little SAM Pro with acrylic 180x105 cm backboard


**1612050**

Portable sidecourt unit:

- 155 cm projection;
- gravity- and spring-assisted set-up system;
- full-size 10 mm acrylic backboard 180x105 cm mounted on metal support frame;
- unidirectional breakaway ring;
- anti-whip net;
- Schelde blue safety padding to front, sides and backboard;
- floor connector set and floor hook inclusive;
- easy flip-down lower front panel lowers unit on wheels for transport.



The SAM School is a backstop highly suitable for school use, thanks to its adjustability to 9 different heights, its small storage space and its portability.



*Adjustability to 9 different heights*

## SAM School

### 1626130

Rollable non-folding compact basketball stand.

- height adjustable, on weighted base, wheeled;
- ring heights 140, 160, 180, 200, 220, 240, 260, 280 and 305 cm;
- protection 65 cm (when ring height 305 cm);
- storage height 205 cm;
- total weight 250 kg;
- reduced-size backboard 120x90 cm;
- equipped with a fixed ring and net;
- Schelde blue safety padding to front and sides;
- comes with 2 front swivel wheels and 2 floor stamps;
- supplied with floor connector (excl. floor hook).





## 3x3 backstops





## Our 3x3 range

Schelde Sports



**SAM 3x3**  
1612070



**SAM Street 3x3**  
1627830



**SAM School 3x3**  
1626140







# The official FIBA certified 3x3 backstop!

## Power beam

Constructed with high-tensile strength steel provides optimum rigidity and strength. Fully galvanized and anti glare black coating.

## Advertising banners

Add value to your event by advertising on the side and top banners, one of the most visible spots all around the court. Banners are optional.

## Lockable Deadlock Tensioner

Our Deadlock Tensioner creates a crosslink between the vertical support structures and helps reduce vibration during dunks.

## Integrated counter weights

No need to anchor the SAM 3x3 to the ground. The extra integrated counter weights make it 100% freestanding.

## High impact protective padding

All black, stylish design, supporting the urban look of your event. Can be equipped with wireless 12" shot clock (optional).

## NEW: Pro 180° Equal Force Dunkring

Pro 180° Equal Force Dunk ring for equal force flex in different directions. The competition basketball ring is FIBA Level 1 & 2 approved. The resilience of the ring is adjustable with 'positive locking mechanism'. The finger-safe net attachment (without hooks) prevents possible injuries.

## Forklift tubes

Allows more flexibility when moving and storing goals in busy arenas.

## Automatic floor stamps

Allows you to set up the unit in no time.



# SAM 3x3

For world-class 3x3 events  
and highest level of  
competition



The official 3x3 unit! Setting the world standard for 3x3 basketball. Official backstop of the FIBA 3x3 World Tour and FIBA 3x3 World Championships.




## SAM 3X3

**1612070**

The official FIBA 3x3 World Tour basketball backstop, FIBA approved 3x3 equipment.

- Spring Assisted Mechanism;
- can be moved by 1 person and positioned using the APF system;
- completely freestanding thanks to integrated extra counter-weights;
- full set protection padding for front, sides, backboard and neck;
- framed competition reinforced glass backboard 180 x 105 cm with Pro 180° Equal Force Dunkring;
- Optional: built-in 12-second clock (2203700) and black banners (2203710)

**Schelde Sports**







## 3x3 Street Slammer

The ideal backstop for all your 3x3 events. Easy to set up, store and transport.



The 3x3 Street Slammer is the ideal backstop for all your 3x3 events. 3x3 Street Slammer is the street version of the Schelde Sports SAM 3x3, official FIBA World Tour backstop. Easy to set up, store and transport.

### 3x3 Street Slammer


**1627830**

The ideal backstop for all your 3x3 events.

- 140 cm projection
- Gas spring system to lift and lower the backboard
- Two stamps at the front side for stability and rim height adjust
- Two swivel wheels at the front, two fixed wheels at the back
- Acrylic backboard with black powder coated frame
- Dunking included
- Easy to move around, possibility to lift with a forklift.
- Optional weight cart: extra counterweight to hold the backstop in position while dunking
- Optional banner set: create more space for advertising of your sponsors.
- Can be anchored to the floor using the included eyebolt/chain (floor plate/socket with eyelet not included).



Weight cart  
3x3 Street Slammer  
(2300735)




Ideal in combination  
with freestanding  
shotclock



Optional banner set  
(2300770)

### SENIOR



### STORAGE



*These dimensions do not include the weight cart.*

# SAM School 3x3

The SAM School 3x3 is a backstop highly suitable for school use, thanks to its adjustability to 9 different heights, its small storage space and its portability.




Schelde Sports



Schelde Street  
Pro Basketball 3x3

Ideal for 3x3 basketball  
1611531



*Adjustability to 9 different heights*

## SAM School 3x3

**1626140**

Rollable non-folding compact basketball stand.

- height adjustable, on weighted base, wheeled;
- ring heights 140, 160, 180, 200, 220, 240, 260, 280 and 305 cm;
- protection 65 cm (when ring height 305 cm);
- storage height 205 cm;
- total weight 250 kg;
- reduced-size backboard 120x90 cm;
- equipped with a fixed ring and net;
- Schelde blue safety padding to front and sides;
- comes with 2 front swivel wheels and 2 floor stamps;
- supplied with floor connector (excl. floor hook).





# BASKETBALL WALL- & CEILING-MOUNTED SYSTEMS

# Ceiling-suspended DualTube basketball backstops

**Scheide Sports**



## Ease of installation

Easily clamp the backstop to your auxiliary steel. No welding, no bolting.



**LEVEL 2**



## Adjustable height setting

Ring height can be adjusted anywhere between 305 cm and 260 cm (optional).



## Maximum safety

All our DualTube backstops are standard equipped with our EN360 approved safety suspension device.



## Ease of use

Powerful 3 pk - 400v motor enables fast and worry free hoisting. Push button or remote controlled.



## Exceptional stability

Our heavy-duty DualTube construction, in combination with the triangular side bracing, cancels out just about all vibrations.





## Ceiling-suspended DualTube basketball backstops



*Height adjustment: height can be adjusted electronically*



*Ring: Pro Strength uni-directional dunkring (standard)*

*Foldaway: forwards up-holding up to 10 m ceiling height, backwards up-holding to 10.50 m ceiling height*



*Backboards: official tempered 12 mm glass 180x105 cm backboard, incl. backboard padding (standard) or 12 mm acrylic 180x105 cm backboard, with backboard padding (optional)*



# Wall-mounted up-folding basketball backstops

Schelde Sports



*Height adjustment: height can be adjusted electronically*



*Foldaway: up-folding up to 4 m projection off the wall*



*Ring: Pro Strength uni-directional dunkring (standard)*

*Backboards: official tempered 12 mm glass 180x105 cm backboard, incl. backboard padding (standard) or 12 mm acrylic 180x105 cm backboard, with backboard padding (optional)*





## Wall-mounted side-folding basketball backstops



*Foldaway: manual side folding up to 5 m projection off the wall*

*Backboards: official tempered 12 mm glass 180x105 cm backboard, incl. backboard padding (standard) or 12 mm acrylic 180x105 cm backboard, with backboard padding (optional)*



*Height adjustment: height can be adjusted manually (optional)*


*Ring: Pro Strength uni-directional dunkring (standard)*





# Wall-mounted shooting stations

## Adjustable basketball goals



### Wall-mounted height adjustable basketball goal, gas-spring assisted 1621113

Upward folding basketball training goal/shooting station, gas spring assisted. Height settings at 305 cm, 280 cm and 260 cm. Projection 100 cm off the wall. Pushing the locking system by means of an operating stick (included) activates two strong gas springs which automatically raise board and ring to the next height setting. Wooden backboard 120x90 cm, with fixed ring and net. Unit folds upward for vertical storage against the wall. Backboard padding optional.



### Wall-mounted height adjustable basketball goal, projecting 10 cm 1620120

Practice goal with fan backboard 120x90 cm, ring and net; Steplessly adjustable in height between 260-305 cm - by use of winch-handle; including wall rails.

## Fixed basketball goals



### Fixed basketball backboard and ring 1611868

Fan-shaped fiberglass backboard 120x90 cm, with recreational style breakaway ring and net. With mounting brackets, projecting 10 cm off the wall.



### Fixed basketball backboard and ring 1620023

Wooden backboard 120x90 cm with fixed ring and net. With mounting brackets, projecting 10 cm off the wall. Backboard padding optional.







# BASKETBALL ACCESSORIES

# Pro 180° Equal Force Dunkring




Equal force flex in different directions

**Scheide Sports**

## Pro 180° Equal Force Dunkring 2300700

New patented Pro 180° Equal Force Dunk ring for equal force flex in different directions. The competition basketball ring is FIBA Level 1 & 2 approved.

- Unique on the market; Equal force on the ring while dunking from different directions
- FIBA Level 1 & 2 approved
- Standard on the Super SAM 325 PRO (1612200)
- Resilience of the ring adjustable with 'positive locking mechanism'
- Standard hole pattern (102x127 mm) for direct mount on Super SAM
- Net attachment (without hooks) prevents possible injuries





## Basketball rings and nets



### Basketball dunking

**1611853**

Tubular ring with wrap-around support and net fixing hooks. Two fully enclosed 33 mm rubber grommets ensure automatic return of the ring. Powder-coated finish. Includes mounting hardware (bore hole pattern 110x90mm).



### Basketball ring, fixed model

**3211201**

Strong steel ring to latest EN-1270 safety codes. No net hooks, but safe "tube tie" net fixing system. Dimensions as per FIBA rules. Orange coating. Mounting hole pattern 110x90 mm.



### Basketball ring, antivandalism

**1629010**

Solid steel ring, 20 mm diameter, model without hooks for use without net.



### Basketball net, antiwhip

**3457351**

Heavy braided nylon basketball net for top competition. Eliminates risk of net whip after dunking. Bright white colour. Meets prevailing FIBA rules for top competition.



### Basketball net

**3457360**

Regulation nylon basketball net for school and recreation. 12 loops; 45 cm long.



# Basketball backboards



## Basketball backboard, acrylic, 180x105 cm 1611875

Translucid 10 mm acrylic backboard mounted on strong metal frame, enameled white. Strong ring mounting plate has a 110x90 mm hole mounting pattern for ring; rear frame has slotted mounting channels for precise height adjustment during installation. See-through board with white perimeter and target zone lines.



## Tempered glass backboard 180x105 cm 2204570

12 mm tempered glass taken in white enameled steel frame. Meets FIBA competition standards. Glass-free ring attachment: glass has a cut-out and backboard frame has a strong ring mounting plate, designed for direct-mount onto main beam of backstop support structure. Order 4502356 center strut along when mounting backboard on a 4-corner support structure such as wall-mounted or ceiling-suspended systems)



## Shot clock support

- 1612091** for single-faced shot clock
- 1612092** for four-sided shot clock

Shot clock support for one Schelde shot clock on a Super SAM range backstop. Hinged base plate matches hole pattern in Super SAM beam. Braces attach to corners of backboard frame.

## Backboard lights

### 3183039

Red lights around perimeter (light up at the end of each period)

### 3183060

Yellow lights on top (light up when the shot clock signal sounds).

Set of LED strips that can be fixed easily to the back of the basketball backboard. Small connection cables that link the individual LED strips make (a full perimeter) light on the basketball backboard. The set includes all connection cables, self-adhesive connector box and 5 m of connection between the connector box and the shot clock cabinet. Set of 2 backboards lights.



## Bolt-on padding for backboard

### 4502325

Acrylic board

### 4502326

Glass board

Heavy duty foam padding for 2204570 glass backboard or for 1611875 acrylic backboard. Meets FIBA standards; 51 mm wide slot for wrapping around bottom edge and lower sides of backboard and frame. Complete with mounting hardware. Supplied in two connecting parts for ease of shipping and mounting.





# BASKETBALL OUTDOOR



## Fixed outdoor basketball backstops

Schelde Sports



### Street Slammer

**1627005**

The street slammer is a durable and robust anti-vandalism backstop. Frames are made of hot-dip galvanized steel, the steel ring is galvanized and coated, fixings are made of stainless steel. The upright can be equipped with 2 main beams, in order to have 2 backboards from only 1 anchor point. Different projection, backboard, ring and height options available.



### School Slammer

**1627010**

The school slammer is the ideal outdoor solution for your schoolyard. Frames are made of hot-dip galvanized steel, the steel ring is galvanized and coated, fixings are made of stainless steel. The upright can be equipped with 2 main beams, in order to have 2 backboards from only 1 anchor point. Different projection, backboard, ring and height options available.

Please contact us  
for more  
information  
about pricing or  
installation  
instructions.



# Introducing the new Telescopic Competition Volleyball Set



## Net tension indicator

Tension Control System for optimal net tension during play.

## Competition net

Improved competition net with Kevlar cord and Velcro strips for optimal net tension.



## Spindle

Improved spindle for fast set-up due to new integrated pulley system.



**Telescopic volleyball post with TCS system**  
**1654152**



**Telescopic volleyball post with net hooks**  
**1654155**



## Net height indications

Clear height indication on posts.



## Aluminium profile

Lightweight aluminium poles with a reinforced core ensure maximum rigidity and are easy to operate.



## Height adjustment

## Telescopic Competition Volleyball Set 1654056

Set consists of:

- 1654152 1x telescopic volleyball post with TCS system
- 1654155 1x telescopic volleyball post with net hooks
- 1654005 1x competition net
- 1654670 1x set of antennas and antenna pockets



# Introducing the new Club Volleyball Set

Schelde Sports



## Net tension indicator

Tension Control System for optimal net tension during play.

## Competition net

Improved competition net with Kevlar cord and Velcro strips for optimal net tension.




## Spindle

The weighted spindle ensures that the net is tensioned in no time.



## Net height indications

Clear height indication on posts.



## Aluminium profile

Lightweight aluminium poles with a reinforced core ensure maximum rigidity and are easy to operate.



## Height adjustment

## Club Volleyball Set with Tension Control System

**1654051**

Set consists of:

- 1654121 1x volleyball post with TCS system
- 1654130 1x volleyball post with net hooks
- 1654005 1x competition net
- 1654670 1x set of antennas and antenna pockets

## Volleyball post with TCS system

**1654121**

## Volleyball post with net hooks

**1654130**



# Introducing the new College Volleyball Set

## School and recreational volleyball net

With sturdy wooden tightening bars.



## Spindle

Improved spindle for fast set-up due to new integrated pulley system.

## College Volleyball Set

**1654045**


Set consists of:

- 1654130 1x volleyball post with net hooks net attachment
- 1654135 1x volleyball pole incl. strips for net attachment and cleat
- 1654555 1x rope/pulley tightening system
- 1654006 1x school and recreational volleyball net
- 1654670 1x volleyball antenna set



## Net height indications

Clear height indication on posts.



## Aluminium profile

Lightweight aluminium poles with a reinforced core ensure maximum rigidity and are easy to operate.



## Cleat

Thanks to the cleat, the net keeps its proper tension.



# Accessories



1 + 2

## Volleyball antenna set

**1654670**

Complete set of 2 antennas 1654672 and 2 pockets 1654671, for one volleyball net.

3

## Net cable safety padding

**1654613**


Vinyl covered foam padding for volleyball net tension cables and chains. Set of 4 pieces. Length 65 cm.

4

## Protection pad for volleyball post

**1654035**


Height 200 cm, thickness is 3 cm. Firm foam body with reinforced vinyl cover. Easy and quick mounting with velcro straps.



## Volleyball net with insewn side sticks

**1654006**

Four-point net attachment for fast and easy set-up. Knotless black nylon 2,5 mm, meshes 10 x 10 cm, 7 cm high top band and 5 cm band at bottom of net, insewn side dowels, white side tapes, 6 mm nylon tension rope below, Kevlar suspension cord in top binding. Dim. 9,5 x 1 m.



## Volleyball net for top competition

**1654005**

Competition net without side sticks, conform to FIVB rules, knotless black nylon 2,5 mm, meshes 10x10 cm, Kevlar suspension cord in 7 cm high top binding, 6 mm. nylon tension rope in 5 cm binding below, inclusive of white side tapes. Net is tensioned by means of straps with clam cleat tensioners. Dim. 9,5 x 1 m.

**Schelde Sports**



## T-base post mount

**1654495**

- For aluminium posts (ø 101 mm)
- White, coated steel
- Wheels for easy transportation
- With 2 star knobs to fix and straighten the post
- Anchor item to be ordered separately

## Protection pad for volleyball centre post

**1654036**

Height 200 cm, thickness is 3 cm. Firm foam body with reinforced vinyl cover. Easy and quick mounting with velcro straps. Standard colour blue. 2-piece model for center posts. (not pictured)



### Volleyball referee stand

**1654433**

Freestanding referee stand. Metal structure with fixed height standing platform for referee. Two legs have wheels for easy transportation to the storage area. Fitted with writing tablet and seat plank.

### Safety padding set for referee stand

**1654043**

Blue colour safety padding set for 1654433 volleyball referee stand.




### Top competition referee stand for volleyball to FIVB standards

**1654450**

Weighted platform for standing and seated refereeing. Height-adjustable execution with safety rails, access ladder, wheeled base for transportation to storage area. Meets FIVB requirements for high level international competition. Steel structure finished in white, with optional paddingset (1654044).





## Tennis pole without tension system 1657205

Round aluminium tennis pole, Ø 101 mm, with plastic buffer. With winch for sideways fixation of the net. Built-in grooved wheel for cable guidance. Floor casing not included. Built-in layered spindle tension system.

No protruding parts. For indoor use.

## Tennis pole with tension system 1657200

Round aluminium tennis pole, Ø 101 mm, with plastic buffer. With winch for sideways fixation of the net. Built-in grooved wheel for cable guidance. Floor casing not included. With fastening eye and karabiner. Includes adjustment chain for nets with different cable lengths.

For indoor use.



## Tennis post with net fixing 1657140

Aluminium, square 80x80 mm, provided with full height net fixing rod at court side. With fastening hooks for net tension cable.

For outdoor use.

## Tennis post with winch 1657145

Aluminium, square 80x80 mm, provided with full height net fixing rod and fitted with integral net tensioner winch contained inside.

For outdoor use.



## Tennis net Type Blizzard 1657520

Tennis net for competition. 2,2 mm polyethylene and double meshes 55x55 mm. With plastified surface 5 mm thick steel cable (13,60 m) and a nylon upper band. Exclusive netadjuster and band. Dimension 1280x107 cm.




## Tennis net Type Sport 1657525

Tennis net for competition. Extra strong knotless and square meshed of 2.5 mm polyester, black. With UV resistant polyester band through which a plastified surface steel cable (13,20 m) runs. Better view thanks to the lack of dual meshes.



## Tennis net adjuster trip 1657570




## Solid aluminium posts

Heavy duty, durable aluminium goal posts, with rounded corners and chequered blue pattern. Bottom of posts are fitted with plastic floor protectors.



## Quick lock tension system

Fix the support frame to the floor in no time thanks to the quick lock tension system.



## IHF approved handball goal, freestanding


**1615750**

Tecton, 300x200 cm, aluminium square posts and crossbar 80x80 mm, wall thickness 2 mm, rounded corners, slide profile with net hooks, chequered blue pattern; bottoms of posts fitted with plastic floor protectors; foldable net supports for freehanging net suspension and fixed collapsible floor bracket. Net and floor connectors not included. Net support depth 100 cm at the top, 150 cm at the bottom. Knocked-down for site assembly.

## IHF approved handball goal, socketed

**1615755**


Same goal as 1615750, but socketed.



## Net for IHF handball goal

**1615214**

2,2 mm white nylon net for goal, meshes 10x10 cm finished with a band. Depth at the top: 100 cm, at the bottom: 150 cm. Per piece.



## Ball stop net

**1615215**

300x200 cm, meshes 10x10 cm, designed for free hanging suspension in net support brackets. Ball stop net, to be suspended in the goal, at approx. 40 cm from the net. Per piece.

## Floor connector


**1615281**

Floor plate with 'quick-fix' clamp bracket. 4 pieces are needed for a handball goal. Suited for goals 1615750 and 1615755. Per piece.



# Handball Club and School competition


Schelde Sports



## Handball goal freestanding

**1615735**

Tecton, 300x200 cm, aluminium square posts and crossbar 80x80 mm, wall thickness 2 mm, rounded corners, slide profile with net hooks, chequered blue pattern; bottoms of posts fitted with plastic floor protectors; foldable net supports for freehanging net suspension; separate easy to fit rear bar. Net and floor connectors not included. Net support depth 80 cm at the top, 150 cm at the bottom. Net for 1615735: 1615214. Knocked down for site assembly.



## Handball goal freestanding

**1615730**

Same as 1615735 but 100 cm at the bottom.

## Floor connector

**1615280**

Floor plate with 'quick-fix' clamp bracket. 4 pieces are needed for a handball goal. Suited for goals 1615730 and 1615735. Per piece.



## Transport trolley for handball goals

**1665194**

Trolley to move and store 2 collapsible goals. Fitted with 4 double swivel wheels and with curved plastified suspension brackets on both sides.

## Net for handball/futsal goal

**1615206**

2,2 mm white nylon net for goal, meshes 10x10 cm finished with a band. 100 cm at the bottom. For handball goal 1615730. Per piece.



1615206



1615216

## Net for handball/futsal goal

**1615216**

Extra sturdy net for handball/football goal. Finished with tape all round to prevent wear. 6 mm green polypropylene, meshes 10x10 cm. 100 cm at the bottom. For handball goal 1615730. Per piece.







## Competition korfbal post

Competition korfbal post in aluminium with reinforcement for attachment of the plastic IKF korfbal basket.

- Including IKF competition korfbal basket
- With anti-rotation pin
- Great stability

<b>1652100</b>	350 cm
<b>1652110</b>	300 cm



## Korfbal post and basket on base, outdoor

### 1652130

One-piece aluminium korfbal post 350 cm long, 76 mm diameter.

- Basket IKF approved
- Post 350 cm high
- For outdoor usage and hard floorings
- Galvanized weighted base plate
- One-piece post



## Floorsockets

### 1651110

With ring and cover for non-suspended floors

### 1651111

With ring without cover for suspended floors



# Badminton



## Rollable badminton stand for top competition

**1653040**

Portable stand in line with regulations for international competitions. Stand rests on antislip sheets, 100% autostable. Easy and quick tensioning. Ideal for center court. With top pulley and double tensioning points. Available per piece, excluding net.



## Rollable badminton stand

**1653033**

Steel upright with weighted base and wheels for ease of transportation. Top and bottom have clam cleats for fast and trouble-free tensioning of the net. Floor protection pad and soft tread wheels. Available per piece, excluding net.



## Badminton nets

**1653200**

Badminton net with tightening rope and finished edges all round in accordance with regulations.

**1653202**

Badminton nets on a single tightening rope for 2 adjacent badminton courts. Rope 30 m.

**1653203**

Badminton nets on a single tightening rope for 3 adjacent badminton courts. Rope 30 m.

**1653204**

Badminton nets on a single tightening rope for 4 adjacent badminton courts. Rope 40 m.

## Badminton net YONEX competition

**1653220**

Nylon, bordered four sides, white nylon top binding with tension wire and lower net ropes. Dim 610x76 cm, meshes 19x19 mm.







## Freestanding net support post 1548020

Freestanding net support post for badminton net. White enameled metal, 25 mm diameter, height 155 cm, post with slotted plastic top cap for net cord, on weighted base with plastic protection. For badminton set-up in combination with e.g. volleyball uprights, or several badminton nets suspended on 1 cable.



## Football goals



### Football goal 732x244 cm

**1616870**

Suitable for top competition, 732x244 cm. Oval Aluminium posts with net hooks; section 105x120 mm, wall thickness 2 mm with 4 mm reinforcement strips, white enamelled; supplied with two aluminium ground sleeves of 50 cm and two covers. Internal aluminium corner joints. Two aluminium tension posts, diameter 50 mm; supplied with two ground sleeves and two covers. Model recommended by FIFA. Exclusive of net.

### Football goal net 732x244 cm

**1616402**

White woven nylon, thickness 4 mm, meshes 14.5x14.5 cm. 200 cm deep at the top, 200 cm deep at the bottom. Suitable for use with football goal 1616870. Per piece.



### Outdoor football goal steel

**1616260**

Rollable. Ideal for playgrounds + training. Thick-walled galvanised pipe for long-lasting use. No unsafe net hooks, only net stretchers. Simple to install yourself. Various anchoring options available. Weather resistant. Per piece, supplied without net (1615216) and ground anchors.



### Mini goal 120x80 cm

**1616285**

Fully welded aluminium front, 80x40 mm. Compact goal with collapsible net brackets. Including fine mesh net 45x45 mm. Also suitable for hockey. Self-assembly.



### Football goal 500x200 cm

**1616825**

Square 8x8 cm aluminium posts with net hooks. Corner reinforcement with internal aluminium casting. The net braces and floor frame offer extra stability. The freestanding goal needs to be anchored (contact sales dept. for different anchoring options). Per piece, supplied without net.

### Football goal net 500x200 cm

**1616480**

Green polyethylene, thickness 3 mm, meshes 12.5x12.5 cm. 80 cm deep at the top, 150 cm deep at the bottom. For use with junior football goal. Suitable for use with football goal 1616825. Per piece.

### Football goal net 500x200 cm

**1695967**

Green polyethylene, thickness 4 mm, meshes 14.5x14.5 cm. 90 cm deep at the top, 150 cm deep at the bottom. For use with junior football goal. Suitable for use with football goal 1616825. Per piece.

### Mini goal 180x120 cm

**1616295**

Thick-walled aluminium pipe. Foldable net brackets. Quick to install. Including fine mesh net 45x45 mm. Also suitable for hockey. Self-assembly.






## Ball trolley, lockable

**1595194**

Metal grid wire trolley with lid, lockable by means of padlock. Dimensions 70x70x70 cm, on 4 wheels.



## Floor sockets

**1651100**

Floor socket for aluminium post  $\varnothing$  100 with collar incl. brass ring and lid. For non-suspended floors.

**4145030**

Floor socket for aluminium post  $\varnothing$  100 with collar, without brass ring and lid. For suspended floors.

**4145050**

Floor socket for aluminium post  $\varnothing$  100 without collar, brass ring and lid. For suspended floors.



## Player bench

**1616188**

Player bench, indoor, 210 cm long; metal frame with rubber feet and hardwood slats. One side wheeled.



## Bal trolley, 6 levels, lockable

**1522154**

Metal trolley, with 6 separate storage compartments each of which have a lockable access door (padlock is not supplied along). One central locking mechanism, inclusive of lock and keys. Rollable on 4 swivel wheels. Also suitable for housing storage boxes 2201900: can take 3 boxes per level. Dim 132.5x67x178 cm. Height per level is 24 cm.



## Schelde Sports Multi Sports solutions

Ceiling mounted goals

Wall mounted goals

Seating

Partitions



Scoreboards




Goals



Portable backstops



Posts / nets







Check our full list of references online:  
[www.scheldesports.com/references](http://www.scheldesports.com/references)

## Global competitions







# Scheide Sports

Berkveld 1  
5709 AE Helmond  
The Netherlands

Tel: +31 492530944  
[export@scheldesports.com](mailto:export@scheldesports.com)  
[www.scheldesports.com](http://www.scheldesports.com)

## CALL TO ACTION